


**3M** Science.  
Applied to Life.™



**Industrial  
Retail  
Business**



# 3M Industrial Retail Business

3M is a global science company that never stops inventing. Using 46 technology platforms, our integrated team of scientists and researchers works with customers to create breakthroughs.

With our unique and differentiated product offering we are making life easier for millions across the globe.

To make our wide product range easily accessible to varied spectrum of customers across home and commercial improvement, micro & small enterprises and automotive aftermarkets we now have a single window through '3M Industrial Retail Business'.

## Home & Commercial Improvement

3M offers wide range of reliable and productivity solutions to help professionals deliver quality job.

The range includes adhesives and tapes, abrasives and other complementing solutions to suit professionals across woodworking, painting, construction, etc.

## Micro & Small Enterprises

A unique range of product offering to specifically suit requirements of Micro & Small Enterprises.

To improve productivity and performance, 3M is relied world over by SME's for their requirements in Adhesives, Abrasives, Tapes, Personal Safety, Electrical and Maintenance solutions, etc.

## Auto Refinish & Care

An extensive range of Appearance, Repair and Care products for Automotive aftermarket.

Professional and Consumer solutions from highly regarded 3M technology stable that help to produce best in class and superior results. The product range includes various form of abrasives, fillers, masking, performance, maintenance and paint finishing solutions.

## 3M™ Synthetic Resin Adhesive

3M™ Synthetic Resin Adhesive is water based adhesive that bonds wood, plywood, laminates, veneers, particle board and MDF to each other. It is a recommended product for bonding two materials where either of the material is porous in nature.

### Features

- Excellent bond for wooden surfaces
- High initial tack
- Excellent coverage
- Fungus resistant
- Resistant to hot/cold water & heat

### Advantages

- Superior bond strength
- Quick handling of substrate
- Superior performance post bonding under all conditions

### Benefits

- Offers superior bonding in less time
- Offers value economy



- Brushable
- Rollable

### Pack Details

- 200 grams, 500 grams, 1 kg, 2 kgs, 5 kgs, 10 kgs, 20 kgs, 30 kgs, 40 kgs (1kg pouch X40) and 50 kgs

## 3M™ WB117 Marine Adhesive

3M™ WB117 Marine adhesive is a new introduction to the 3M synthetic adhesive range that offers higher resistance to humidity, temperature and other tough weather conditions.

### Features

- An extension of D2 range of adhesives.
- For usage in conditions with occasional exposure to running/condensed water.
- Complements well with usage of marine ply to withstand tough weather conditions.

### Advantages

- High humidity resistance
- High Temperature resistance
- Excellent coverage & faster drying

### Benefits

- Longer life of furniture even in tough weather conditions
- Saves time
- Can be easily used in areas with occasional exposure to water i.e. Kitchen cabinets, AC rooms etc.



### Pack Details

- 1 Kg, 5 Kgs, 10 Kgs, 20 Kgs, 50 Kgs

## 3M™ Heavy Duty 20 Spray Adhesive

3M™ Woodworking 20 Spray Adhesive is an aerosol based synthetic rubber adhesive.

### Features

- Bonds wooden substrates to Laminate, Wood, Plywood, Veneer, Board, MDF
- Once applied, wooden substrates will gain initial handling strength in 30 minutes
- Substrate gains 100% strength in 24 hours, post application only

### Advantages

- Single spray (Net content: 390gm) provides approximate coverage up to 67 Square feet
- Specialized for small area application of 4 square feet or less

### Benefits

- Saves time and labor
- Neat and clean job as it overcomes messy conventional application process

- It is a lace spray
- Spray nozzle has three spray settings for three different spray patterns: Low (L) – for substrate width equal to or less than 1 inch, Medium (M) - For substrate width greater than 1 inch & less than 3 inches, High (H) - For substrate width greater than 3 inches.

### Pack Details

- 390 grams / 550ml



## 3M™ Mirror Mount Tape

3M™ Mirror Mount Tape is an easy to apply tape used to mount mirrors on wooden surfaces, tiles, stone, marble, granite and fiber boards.

### Features

- Double side tape that holds mirror to the substrate
- Superior adhesive technology for better bond strength
- Easily conforms to substrates

### Advantages

- Strongly holds the mirror to the substrate without screws
- Reduces the chance of damage to mirrors caused due to drilling

### Benefits

- Saves time and labour
- Enhances aesthetics of mirror specially in case of large mirror fittings
- Can be easily used in applications subjected to vibrations e.g. elevators, cupboards, railways, etc.



- 3M™ Mirror Mount tape must not be used on plaster walls

### Pack Details

- 12mm by 5m – holds maximum weight 10kg
- 24mm by 5m – holds maximum weight 20kg
- All packs come with primer for enhanced adhesion

## 3M™ High Strength Bonding Tape

From the family of 3M™ VHB™Tapes, comes 3M™ High Strength Bonding Tape, a very conformable, double-sided, pressure sensitive, closed cell acrylic foam tape with a PE film liner.

### Features

- Double side tape with high strength
- Durable, 1.1 mm thick tape
- Clean appearance.
- Comes with adhesion promoter (primer 94) for better adhesion.

### Advantages

- Useful with multiple flexibility of materials – 1 substrate flexible OR both substrate flexible OR both substrate rigid.
- Very conformable foam with numerous applications.

### Benefits

- Saves time and labor
- Enhances aesthetics
- Can be easily used in applications subjected to vibrations e.g. elevators, cupboards, railways, etc.



### Pack Details

- 12mm x 5m
- Pack comes with primer for enhanced adhesion

## 3M™ General Purpose Bonding Tape

From the family of 3M™ VHB™Tapes, comes 3M™ General Purpose Bonding Tape, a very conformable, double-sided, pressure sensitive, closed cell acrylic foam tape with a PE film liner.

### Features

- Double side tape with high strength
- Durable, 1.1 mm thick tape
- Clean appearance

### Advantages

- Useful with multiple flexibility of materials – 1 substrate flexible OR both substrate flexible OR both substrate rigid.
- Very conformable foam with numerous general purpose applications.

### Benefits

- Saves time and labor
- Enhances aesthetics
- Can be easily used in applications subjected to vibrations e.g. elevators, cupboards, railways, etc.



### Pack Details

- 12mm x 5m

## 3M™ Fast Bond Tape

3M™ Fast Bond Tape is a thin double-sided tape used for fixing various types of laminates including Acrylic, PVC and Wood. Fast Bond Tape can be used for laminate to laminate, laminate to Plywood and numerous other substrates. Fast Bond tape is an excellent replacement of conventional white adhesive to fix laminates. A great solution for use during refurbishment without removing old laminate (laminate to laminate application).

### Features

- Instant grab adhesive
- Stronger bond
- Easy to apply

### Advantages

- Non-messy application
- Quicker job turnaround time
- Can be used for refurbishing, quick fix jobs

### Benefits

- Saves time and labour



- For quickly bonding Wood to: Laminate, Acrylic, Rigid PVC
- Thickness: 0.22mm

### Pack Details

- 30mm X 20m

## 3M™ Anti-Skid Tape – Wet and Dry

3M™ Safety-Walk™ Anti Skid Tapes are designed to enhance and maintain your home and offices with assurance of safety.

### Features

- Self-adhesive
- Slip-resistant
- Durable

### Advantages

- Unique slip resistant materials that reduce the risk of slipping.

### Benefits

- Helps overcome occupational hazards like slips and falls which are common causes of disabilities



- Wet Surface applications: bathroom floor, bath tubs, kitchens, etc.
- Dry Surface applications: stairs, inclines, corridors, etc.

### Pack Details

- 2.5cm X 3.6m

## 3M™ GP Masking Tape

3M General Purpose Masking Tape that can be used for holding, bundling, sealing and a vast number of other jobs where a pressure-sensitive tape it needed. Heavy thickness crepe paper backing for good paint lines which is easy to tear and pressure sensitive.

### Features

- 100% guaranteed length
- No adhesive transfer on substrate post removal
- Hand tearable

### Advantages

- Holds substrate strongly
- Resists lifting or curling or slivering

### Benefits

- Saves time and labor (no need for substrate cleaning, post tape removal)
- Better holding strength



- For holding, sealing, bundling, etc.

### Pack Details

- Available tape length: 20m, 30m and 40m
- Available tape width: 12mm, 24mm, 36mm and 48mm

## 3M™ Carpenter Masking Tape

3M™ Scotch™ masking tape for carpenters and painters is a pressure sensitive tape used for wall and wood working. It comes with crepe paper backing with rubber adhesive on top for adhesion.

### Features

- 100% guaranteed length
- No adhesive transfer on substrate post removal
- Hand tearable

### Advantages

- Gives sharp painting edges
- Holds substrate strongly
- Resists lifting or curling or slivering

### Benefits

- Saves time and labor (no need for substrate cleaning, post tape removal)



### Pack Details

- Available tape length: 20m, 30m and 40m
- Available tape width: 12mm, 24mm, 36mm and 48mm

## 3M™ 2207 Protection Tape

3M 2207 Protection Tape is made of highly conformable polyethylene film backing coated with synthetic rubber adhesive. This product is recommended for use on floors and other surfaces while painting and wood working.

### Features

- Highly conformable polyethylene film
- Strong polymer film
- Medium tack pressure sensitive adhesive

### Advantages

- Highly conformable
- Higher bond strength
- Repositionable

### Benefits

- Provides adhesion to multiple surfaces



- For use on substrates such as Plastic, Aluminium, Stainless Steel, Painted surfaces and other polished/ glossy / smooth surfaces

### Pack Details

- 1200mm X 100m, 600mm X 100m, 600mm X 30m

## 3M™ 233Q Premium Wetordry™ Abrasive Sheets

3M™ 233Q Premium Wetordry™ abrasive sheets is a Wetordry™ sanding sheet that offers super fine & uniform surface finish on wood coatings i.e. NC/melamine/PU/ polyester surface sanding. Specifically designed for wet sanding application, the product offers premium performance with much lesser scratches on the surface than any competition.

### Features

- Sharp silicon carbide abrasive with waterproof resin coat
- Higher curl resistance (ability to withstand backing sheet in wet condition)

### Advantages

- Cuts faster than most other brands

### Benefits

- Offers smooth, uniform surface finish



### Pack Details

- Available in grits: 60, 80, 100, 120, 150, 220, 320, 400, 600, 800, 1000, 1500, 2000
- Available in rims of 250 units (50 units/pack X 5 Nos.)

## 3M™ 518 Wetordry™ Abrasive Sheets

3M™518 is a Wetordry™ sanding sheet that offers fine and uniform surface finish on plaster, wall putty as well as wooden surface.

### Features


- Sharp abrasive mineral with waterproof resin coat
- Higher curl resistance (ability to withstand backing sheet in wet condition)

### Advantages

- Cuts faster than most other brands
- On folding 3M™ 518 Wetordry™ sheet, shelling is lower

### Benefits

- Offers smooth, uniform surface finish



### Pack Details

- Available in grits: 60, 80, 100, 120, 150, 220, 320, 400, 600, 800, 1000, 1500, 2000
- Available in rims of 250 units (50 units/pack X 5 Nos.)

## 3M™ 314D Abrasive Cloth Rolls

3M™ 245DP Abrasive cloth roll is an Alox based cloth roll completely made using synthetic adhesives. Generally used in initial wood sanding applications for raw wood sanding.

### Features

- Alox based minerals for rugged sanding
- Synthetic adhesive based product

### Advantages

- Higher material removal and higher cut rate than competition

### Benefits

- Delivers uniform results across seasons unlike competition that uses animal glue



- Use wet or dry

### Pack Details

- Available in grits: 60, 80, 100 and 120

# Scotch-Brite™ All Rounder Handpad

3M™ All Rounder handpad is a non woven abrasive hand pad with impregnated aluminum oxide abrasive grains for consistent, longer lasting, superior performance.

## Features

- Easily reaches corners & hard to reach places due to high conformability

## Advantages

- Lasts longer
- Soft On hands

## Benefits

- Offers consistent finish



- General purpose - Cleaning
- Finishing
- Light rust removal

## Pack Details

- Single Pack Flow Wrap (6in X 9in)
- Pack of 5 (Each pad of size 6in X 9in)

# 3M™ General Purpose Handpad (Mighty Blue)

Generate good finish. Can be used for paint scuffing.

## Features

- Aluminum Oxide
- Open Construction
- Spring Action
- 3 - Dimensional

## Advantages

- Single solution for general applications

## Benefits

- 3 times more true surface area
- Consistent Finish
- Conformable
- Soft on Hands
- Lasts longer than emery paper
- One solution (starting point) for general



- General purpose - Cleaning
- Finishing
- Light rust removal

## Pack Details

- Pack of 5 (6 x 9)

## 3M™ Fine Finish Handpad (7448)

Generate extra finish without affecting dimensional tolerances. More suitable for superior finishes on stainless steel.

### Features

- Silicon Carbide
- Open Construction
- Spring Action
- 3 - Dimensional

### Advantages

- Superior Finish Quality

### Benefits

- Excellent for final finishing
- Generate unique hair lines on stainless steel



- Metal
- Wood
- Plastic

### Pack Details

- Pack of 5 (6 x 9)

## 3M™ SS Finishing Handpad (7446)

Provides unique hairline finish. Ideal for blending scratches. Merging of weld marks.

### Features

- Silicon Carbide
- Open Construction
- Spring Action
- 3 - Dimensional

### Advantages

- Provides consistent finish till the end

### Benefits

- Unique antique finish
- No contamination and safe to work
- Provides differentiated finishes



- SS Products
- Handicrafts
- Builders Hardware
- Furniture

### Pack Details

- Pack of 5 (6 x 9)

## 3M™ Multi-Purpose Handpad (7447)

Provides unique hairline finish. Merging of weld marks.  
Metal Wood Ceramics

### Features

- Aluminum Oxide
- Open Construction
- Spring Action
- 3 - Dimensional

### Advantages

- One solution for multiple applications
- High conformability
- Lasts Longer

### Benefits

- Consistent finish
- Flexible - easily reaches corners and hard to reach places
- Soft on hands



- Deburring
- Cleaning
- Blending
- Finishing
- Polishing

### Pack Details

- Pack of 5 (6 x 9)

## 3M™ Heavy Duty Handpad

De-scaling and Rust Removal with heavy stock removal.  
Finds application across manufacturing segments such as Auto components, Metal fabrications, Ceramic Tiles and Sanitary ware, Cooking Utensils, etc.

### Features

- Aluminum Oxide
- Tough, Tight and Dense web

### Advantages

- Ideal for removal of very heavy rust and scale

### Benefits

- High cut, aggressive - saves time, longer life



- Finishing weld seams
- General sheet metal and metal workshop application
- Descaling
- Rust removal

### Pack Details

- Pack of 5 (6 x 9)

## 3M™ Flap Brushes

Brushes are impregnated with abrasive mineral to give uniform cut and finish throughout product life. Open, flexible flap construction is soft and pliable to produce uniform surface finishes without chatter marks. Softer, less aggressive construction for finer blending and finishing.

### Features

- Flaps of ScotchBrite™ material bonded to a fibre core. Open, Flexible

### Advantages

- Softer, less aggressive construction for finer blending and finishing

### Benefits

- Provides uniform cut and finish



- Cleaning and light deburring of various substrates, satin finish on metals.

### Pack Details

- 6X1X2, 6x2x2, 8x1x3, 8x2x3

## 3M™ Combi Brushes

Alternate flaps of Scotch-Brite web and X- weight coated abrasive cloth, Flaps of Scotch-Brite material bonded a fibre core.

### Features

- Combi - Aluminum oxide and silicon carbide

### Advantages

- Better finishes compared to coated abrasives.
- Faster cuts compared to Non-woven

### Benefits

- Three dimensional Scotch-Brite™ web produces consistent, repeatable results without damaging the workpiece
- Open, flexible flap construction is soft and pliable to produce uniform surface finishes without chatter marks.
- Used as part of a match & finish system



- Combi - creating hairline and satin finishes
- Mini cleaning, finishing, graining

### Pack Details

- 100X100X19
- Available in grits: 80 & 150

## 3M™ 381CP Fiber Disc

3M™ Fiber Disc (381C) contains aluminum oxide mineral that gives fast cut rate and lasts longer. So now, sanding can be done faster and with much ease. This product is majorly used by carpenters for quick sanding of wooden furniture.

### Features

- Aluminium Oxide Grains
- Vulcanized fiber backing

### Advantages

- Best suited for wood sanding applications

### Benefits

- Cuts Faster
- Lasts Longer
- High cutting action & long product life on medium pressure applications



- Grinding and finishing weld seams
- General sheet metal and workshop application

### Pack Details

- 4in, 5 in, 7in
- Available in Grits – 24,36,60, 80 to 120

## 3M™ Cubitron™ Fiber Disc

3M™ Cubitron™ Fiber Disc is power packed for heavy grinding and weld removal applications on mild steel and stainless steel.

### Features

- 3M™ Cubitron™ Abrasive Grain
- Fiber
- Closed
- Resin
- Grinding Aid

### Advantages

- Premium product with an aggressive cut and longer life
- Recommended for high pressure applications

### Benefits

- Grinding aid reduces heat build up to give a cooler cut on heat sensitive metals



- Weld Grinding and stock removal

### Pack Details

- 4in, 5in, 7in
- Available in Grits: P36, P60, P80, P120

## 3M™ 982 Cubitron™ II Fiber Disc

3M™ Cubitron™ II Fiber Disc 982C slices through carbon steel with 3M Precision Shaped Grain. Exceptionally high cut rate, durability and life compared to other fiber discs. All with less grinding pressure – that means less operator fatigue, faster throughput and more parts per disc.

### Features


- Cubitron™ II Abrasive grain
- Fibre
- Resin

### Advantages

- Unmatched faster cut rate
- Longer Life
- Cooler Cutting

### Benefits

- Lower Abrasive Costs
- Lesser downtime
- Lesser waste
- Lesser operator fatigue
- Power Savings



- Weld Grinding and heavy stock removal

### Pack Details

- 100x16, 125x22, 178x22
- Available in Grits: P36, P60, P120

## 3M™ Alox Rigid Grinding Disc

Aluminium disc A24 DC wheels are specifically suited for mild steel grinding applications. Provides high and consistent quality performance.

### Features


- Aluminium Oxide
- Resin bonded

### Advantages

- Cuts faster, lasts longer

### Benefits

- Consistent Grinding



- Weld bead grinding, spatter removal

### Pack Details

- 100x4x16, 100x6x16, 125x6x22, 180x6x22

## 3M™ Greencorps™ Rigid Grinding Disc

The 3M™ Greencorps™ rigid grinding disc is a 6mm thick depressed center disc for right angle tool and is designed to provide high rate of stock removal and long life to meet all your toughest grinding needs.

### Features

- 3M™ Cubitron™ Abrasive Grain
- Resin bonded

### Advantages

- Longer life, Faster Cut Rate

### Benefits

- Better finish
- No contamination of weld



- Weld bead grinding
- Corner weld grinding
- Spatter removal

### Pack Details

- 100x6x16, 125x6x22, 180x6x22, 230x6x22

## 3M™ Greencorps™ Flexible Grinding Disc

The 3M™ Greencorps™ flexible grinding disc is an aggressive grinding disc for right angle tools and is specially designed to have the flexibility of a fiber disc and the versatility of a type 27 grinding disc.

### Features

- 3M™ Cubitron™ Abrasive Grain
- Resin bonded

### Advantages

- Saves time due to faster grinding
- Lower vibrations offer better comfort to operator

### Benefits

- Does not leave any black marks
- No contamination of weld



- Cutting sheet metal, frames, rails, bars

### Pack Details

- 100x3x16, 125x3x22, 180x3x22

## 3M™ Alox 14" Cut Off Wheel

When it comes to faster, easier metal cutting, it defines the performance benchmark. With their enhanced technological edge.

### Features

- Aluminium Oxide
- Resin bonded

### Advantages

- Faster, Easier Metal Cutting

### Benefits

- Produces less burr meaning less rework
- International quality and safety features for a cut above the ordinary



- Cutting sheet metal, frames, rails, bars, rods, clamps and rusted bolts.

### Pack Details

- 100x3x16, 180x3x22, 305x3x25, 355x3x25

## 3M™ Greencorps™ Cut Off Wheel

3M™ Greencorps™ cut-off wheels assure longevity than conventional cut-off wheels. Provides high cut rates and longer life to most materials – especially stainless steel.

### Features

- 3M™ Cubitron™ Abrasive Grain
- Resin bonded

### Advantages

- Lasts longer than the aluminum oxide based wheels

### Benefits

- The combination of high speed rating and Cubitron™ Mineral content means a cool, sharp, quick cut with minimal product wear



- Cutting of long products like pipe, rod, flats and angles, sheet metal, clamps & rusted bolts.
- Cutting frames, rails, bars.

### Pack Details

- 75x0.8x9.5, 100x1x9.5,, 100x1.6x16, 180x2x22, 305x3x25, 355x3x25

# Radial Flap Disc 563D

3M™ 563D radial flap disc is a fast cutting disc with exceptionally long life and minimal heat generation. Provides optimal performance both on mild steel and stainless steel.

## Features

- Aluminium Zirconia
- X- weight cotton cloth on reinforced glass fiber resin

## Advantages

- Suitable for all metals
- High Cut Rate
- Longer Life

## Benefits

- High cut rate
- Longer life
- Does not gauge the material
- Better finish



## Pack Details

- 4 1/2 x 22
- Available in grits: P40, P60, P80, P120

## RPL+ (Rust Penetrant Lubricant)

A multipurpose light oil formulation penetrates to quickly free rusted nuts, bolts and prevents adhesion of light loaded sliding parts. Displaces moisture, can be used for displacing moisture for electrical components and windings. Prevents corrosion by depositing a temporary ultra-thin film on the surface of the metal. Recommended for maintenance and repair in automotive, marine, industrial and household materials.

- Multi-purpose light oil formula
- Lubricant
- Penetrant
- Prevents Rust
- Demoisturises
- Rust & corrosion prevention by depositing an ultra-thin film that coats & penetrates the surface pores of metal
- Excellent penetration properties to quickly free rusted bolts & nuts
- Relieves binding of sliding parts
- Displaces moisture to dry out damp electrical parts, improve electrical circuit conductivity
- Lubricates metal, plastic or rubber moving parts



- Shake the can well. Hold can upright and push actuator on top of can all the way down to apply uniform spray. If using the extension tube insert it into the actuator using twisting motion. Best results are obtained when material is at room temperature. Handy snorkel tube aids application on hard to reach areas.

### Pack Details

- Available in 325g, 170g, 50g

## 3M™ Stainless Steel Cleaner

The one step spray that keeps stainless steel and other metal surfaces gleaming like new.

### Features

- A high performance aerosol product that cleans and polishes a variety of metal surfaces to a high gloss in one step. 3M™ Stainless Steel Cleaner and Polish leaves a light protective film on the surface to resist fingerprints and streaking.

### Advantages

- Cleans, polishes & protects in one step
- Leaves a light protective film that restores sheen to factory finish
- Helps hide blemishes & slows re-soiling
- Reduces fingerprints & resists streaking
- No greasy film residue
- Pleasant citrus fragrance
- For best results use with the Scotch-Brite™ High Performance Cleaning Cloth

### Benefits

- Environmentally preferable solution
- Water based chemistry – no solvents
- All ingredients are NSF Certified
- Less than half the allowable limit of VOC as permitted by the California Air Resource Board (CARB) VOC Regulations
- Nonflammable
- Excellent vertical cling & small spray pattern help reduce overspray & waste

- Can be used on: Stainless steel, chrome, aluminum, laminated plastics, enamel, plexiglas, ceramics
- Excellent cleaner and polish for: elevators, escalators, drinking water fountain, backsplash, restaurant and food processing equipment



### Pack Details

- 295ml, 750ml

## 3M™ Microfiber Cloth

3M™ Microfiber Cloth is a unique, super-soft, non-linting cloth designed to remove oily or filmy residue including waxes, polishes, glazes and fingerprints without scratching or streaking delicate surfaces. It is ideal for painted/clear coated surfaces, chrome, glass, dashboards, and more.

- Excellent water and dust absorption
- Gives excellent finish after application of wax, polishes, glaze, etc.
- Cleans well without streak marks



### Pack Details

- 40.64 cm x 40.64 cm

## 3M™ Acrylic Foam Tape

3M™ Acrylic foam tape is a medium-density, gray acrylic foam tape with acrylic adhesives. 3M acrylic foam tape is characterized by good peel and shear adhesion, high initial adhesion, good low temperature application performance. Typical applications would include side visor, wheel weight, spoiler, gas doors ornamentation, additional mirror, wind seal, personalization logo, etc.

- Medium density gray acrylic foam tape with acrylic adhesive
- Good peel and shear adhesion
- Very high initial adhesion



### Pack Details

- 12mm x 4mtr, 12mmx10mtr, 24mm x 4mtr, 24mm x 10mtr



**3M** Science.  
Applied to Life.™

**3M India Limited**

Industrial Retail Business

Concorde Block, UB City

24 Vittal Mallya Road, Bengaluru - 560 001

Tel: +91 80 2223 1414 • Fax: +91 2223 1450

[www.3M.com/in](http://www.3M.com/in)

All product details and images given in this catalogue are for representation purpose only and all reasonable efforts have been made to ensure the accuracy of the information. However, 3M cannot be held responsible for any errors or omissions. 3M reserves the right to make changes to the catalog and its products, product specifications, pack sizes etc. at any time without prior notice. All text, images, graphics and other materials in this catalogue are subject to the copyright and other intellectual property rights of 3M India Ltd.